



## safeVisionary2

Safe 3D environment perception opens up new dimensions

SAFETY CAMERA SENSORS

**SICK**  
Sensor Intelligence.

## Advantages



## Increasing safety, raising productivity

With the safeVisionary2 3D time-of-flight camera, you gain new perspectives. Thanks to the safe 3D environment perception of the device, you expand your existing applications to include new options that increase the productivity and safety of your machines and systems.



**Collision protection for mobile robots**  
With safeVisionary2, your mobile robots can also detect obstacles above the protective field of a safety laser scanner. This increases the safety and availability of your vehicles.



**3D protective field for collaborative robots**  
safeVisionary2 safely detects residual risks such as a person leaning or reaching over. This means the camera enables true collaboration with fewer stops and reduced safety distances.



**Fall protection for service robots**  
Thanks to safeVisionary2, your service robots also register falling hazards such as stairs. With two cameras, performance level d required by IEC 63327-2021 can be achieved for this function.




**More productivity thanks to safe 3D environment perception**



## Outstanding data quality thanks to 3D time-of-flight technology

safeVisionary2 is more than just a safety camera sensor. In addition to the safety functions, the camera offers precise 3D measurement data that can also be used in a variety of ways.



### Precise 3D information

At 30 images per second and a resolution of 512 x 424 pixels, the camera delivers reliable intensity and distance values even in dynamic applications.



### Fast data transmission via Gigabit Ethernet

You benefit from fast data transmission thanks to Gigabit Ethernet as well as short response times for high safety.



### More than just a safety sensor

You can also use the 3D measurement data for automation tasks, such as for vehicle navigation or object detection.



## The camera that unites safety and automation



## Fits perfect

safeVisionary2 has a compact design and is reliable and versatile in everyday industrial use. You also benefit from a high level of user-friendliness and save time during installation and configuration.



**Very compact with just 70 x 80 x 77 mm**  
Thanks to its compact dimensions, safeVisionary2 has a clear advantage compared to many other sensors. This allows you to easily integrate the camera into your machine design, and it also fits in tight installation spaces.



**Reliable even when subjected to high loads**  
Thanks to the solid-state technology, safeVisionary2 is resistant to shocks and vibration – for high availability in mobile applications.



**Fast commissioning**  
With the help of mounting brackets, standardized connection technology and the Safety Designer software, safeVisionary2 can be put into operation quickly.




### Customized solution, even for demanding ambient conditions




### Tried-and-proven intuitive configuration software

The versatile Safety Designer software makes it easy to configure your safety application. The implementation and use of safety and diagnostic functions is just as easy as usual.



**Simple protective field configuration**  
Drawing 3D protective fields is very simple. Applications and functions such as the integrated protective field evaluation take on a new meaning with safeVisionary2.



**Integrated diagnostic functions**  
Use real-time visualization and diagnostic functions to quickly troubleshoot and optimize your application.



**Get the job done with one tool**  
With Safety Designer, you configure your entire safety application, from individual sensors to logic, and also get detailed documentation.



## Time- and cost-saving configuration and diagnostics



### Technical data overview

|                     |                    |
|---------------------|--------------------|
| <b>Technology</b>   | 3D time-of-flight  |
| <b>Safety level</b> | Type 2, PL c, SIL1 |



### Product description

With the world's first 3D time-of-flight camera with performance level c safety certification, SICK is opening a new dimension in safety technology. safeVisionary2 allows safe three-dimensional environment perception that you can use to increase the safety and efficiency of your applications. Thanks to the precise measurement data, the camera also reliably solves automation tasks, thus eliminating the need for you to purchase additional hardware components. safeVisionary2 has a compact, rugged design and is versatile and reliable when used for everyday industrial tasks.

### At a glance

- 3D time-of-flight camera with performance level c
- Up to 4 m protective field range
- 2 simultaneous protective fields and 8 monitoring cases
- Measurement data output via Gigabit Ethernet
- Compact shock- and vibration-resistant design with enclosure rating IP65 and IP67
- Tried-and-tested intuitive Safety Designer configuration software

### Your benefits

- Solve your safety applications simply and efficiently – with the safe 3D environment perception
- Use the precise 3D measurement data for automation tasks, e.g., contour-based navigation for your mobile vehicles
- Benefit from the user-friendly configuration, commissioning and diagnostics
- Versatile in use and effortless to integrate, even when the installation space is limited
- High availability, even under mechanical loads and during continuous operation – no moving parts due to the measurement technology used

### Fields of application

- Safe collision avoidance and lateral protection for mobile robots and AGVs
- Protects personnel from leaning over into the hazardous area of collaborative robots
- Fall protection for mobile service and healthcare robots, e.g., cleaning robots

### Ordering information

Other models and accessories → [www.sick.com/safeVisionary2](http://www.sick.com/safeVisionary2)

| Technology        | Safety level       | Type             | Part no. |
|-------------------|--------------------|------------------|----------|
| 3D time-of-flight | Type 2, PL c, SIL1 | V3SA2-ABBABBAAN1 | 1116398  |

## SICK AT A GLANCE

SICK is one of the leading manufacturers of intelligent sensors and sensor solutions for industrial applications. A unique range of products and services creates the perfect basis for controlling processes securely and efficiently, protecting individuals from accidents and preventing damage to the environment.

We have extensive experience in a wide range of industries and understand their processes and requirements. With intelligent sensors, we can deliver exactly what our customers need. In application centers in Europe, Asia and North America, system solutions are tested and optimized in accordance with customer specifications. All this makes us a reliable supplier and development partner.

Comprehensive services complete our offering: SICK LifeTime Services provide support throughout the machine life cycle and ensure safety and productivity.

For us, that is “Sensor Intelligence.”

## WORLDWIDE PRESENCE:

Contacts and other locations –[www.sick.com](http://www.sick.com)